



PO Box 310
Huntington, Utah 84528

October 30, 2006

Mr. John Blake, Mineral Resource Specialist
Utah State Institutional Trust Lands Administration
675 East 500 South, Suite 500
Salt Lake City, Utah 84102

Dear Mr. Blake:

PacifiCorp, by and through its wholly-owned subsidiary, Energy West Mining Company ("Energy West") as mine operator, hereby submits two copies of the exploration data compiled from the "2006 Mill Fork Drilling Program" (State Lease ML-48258), including lithologic logs, geophysical logs (compact disk), coal quality analysis and report of water observed. Drilling commenced on June 6, 2006 and was completed on July 8, 2006. A total of six holes were drilled detailing the geologic / hydrologic characteristics of coal reserves in State Lease ML-48258. The following summary outlines the drill hole information submitted along with the hole abandonment documentation:

Tracy
10/15/0018 *ok*
Cosy Steve D
(PFC)

PACIFICORP - ENERGY WEST MINING COMPANY
2006 Mill Fork Drilling Program

DRILL HOLE NUMBER	DATE COMPLETED	LOCATION			ELEVATION (feet)	TOTAL DEPTH (feet)
		Section	Township	Range		
EM-196	Jun. 17, 2006	7	16 South	7 East	9578'	1656'
HOLE ABANDONMENT DATA: BLM Contact: Suzie Burger, BLM Witness: Suzy Burger Energy West Mining Representative: Ken Fleck LanDril Tech Representative: Ron Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abantonite pumped through drill rods to bottom of hole. A total of 12 bags of cement, 11 bags of abantonite and 2 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. All drill pipe and casing was removed from the hole.						
EM-197	Jun. 14, 2006	12	16 South	6 East	9220'	1287'
HOLE ABANDONMENT DATA: BLM Contact: Suzie Burger, BLM Witness: None Energy West Mining Representative: Chuck Semborski LanDril Tech Representative: Joe Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abantonite pumped through drill rods to bottom of hole. A total of 11 bags of cement, 15 bags of abantonite and 10 bag of bentonite chips were used. Brass cap identification marker installed below the ground surface. All drill pipe and casing was removed from the hole.						

Huntington Office:
(435) 687-9821
Fax (435) 687-2695
Purchasing Fax (435) 687-9092

RECEIVED

NOV 02 2006

Deer Creek Mine:
(435) 687-2317
Fax (435) 687-2285

DIV. OF OIL, GAS & MINING

DRILL HOLE NUMBER	DATE COMPLETED	LOCATION			ELEVATION (feet)	TOTAL DEPTH (feet)
		Section	Township	Range		
EM-198	Jun. 26, 2006	12	16 South	6 East	9580'	1657'
<p>HOLE ABANDONMENT DATA: BLM Contact: Suzy Burger, BLM Witness: Suzy Burger Energy West Mining Representative: Chuck Semborski LanDril Tech Drilling Representative: Joe Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abantonite pumped through drill rods to bottom of hole. A total of 12 bags of cement, 13 bags of abantonite and 12 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. One hundred forty of NQ drill rod cemented in hole.</p>						
EM-199	Jun. 25, 2006	12	16 South	6 East	9413'	1516'
<p>HOLE ABANDONMENT DATA: BLM Contact: Suzy Burger, BLM Witness: Suzie Burger Energy West Mining Representative: Ken Fleck LanDril Tech Drilling Representative: Ron Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abantonite pumped through drill rods to bottom of hole. A total of 11 bags of cement, 10 bags of abantonite and 10 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. All drill pipe and casing was removed from the hole.</p>						
EM-200	Jul. 8, 2006	12	16 South	6 East	9718'	1786'
<p>HOLE ABANDONMENT DATA: BLM Contact: Suzy Burger, BLM Witness: Suzie Burger Energy West Mining Representative: Ken Fleck LanDril Tech Drilling Representative: Ron Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abantonite pumped through drill rods to bottom of hole. A total of 11.5 bags of cement, 10 bags of abantonite and 1 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. All drill pipe and casing was removed from the hole.</p>						
EM-201	Jul. 8, 2006	12	16 South	6 East	9262'	1347'
<p>HOLE ABANDONMENT DATA: BLM Contact: Suzy Burger, BLM Witness: None Energy West Mining Representative: Chuck Semborski LanDril Tech Drilling Representative: Joe Lancaster Diameter of Drill Hole: 2.36" Drill hole abandoned utilizing slurry cement/abantonite pumped through drill rods to bottom of hole. A total of 12 bags of cement, 12 bags of abantonite and 10 bags of bentonite chips were used. Brass cap identification marker installed below the ground surface. All drill pipe and casing was removed from the hole.</p>						

Mr. John Blake, Mineral Resource Specialist
Utah State Institutional Trust Lands Administration
October 30, 2006
Page Three

Each of the six (6) sites were reclaimed and seeded according to U.S.F.S. specifications upon completion.

If any additional information is needed please contact me at 687-4720.

Sincerely,



Charles A. Semborski
Geology/Permitting Supervisor

Enclosures

cc: Don Stephens/Suzy Burger (BLM - Price Office), without enclosures
Tom Lloyd (U.S.F.S. - Price Office), without enclosures
DOGM Coal Regulatory Program, without enclosures
Doug Johnson, without enclosures
Scott Child (Interwest), without enclosures
File: 2006 Mill Fork/Joes Valley Exploration

MFJVDATA06_SITLAWpd.wpd