

TABLE 26: GRIMES WASH WATER QUALITY *
GWR01 - RIGHT FORK

2008 **SAMPLE DATES	ACIDITY	ALKALINITY BICARBONATE	CALCIUM	CARBONATE	CHLORIDE	CONDUCTIVITY (umhos/cm)	HARDNESS	IRON TOTAL	IRON DISSOLVED	MAGNESIUM	MANGANESE	OIL & GREASE	PH (units)	POTASSIUM	SODIUM	SULFATE	TSS	TDS
<u>2008**</u>	NO SAMPLES COLLECTED DURING 2008 -NO FLOW																	
<u>2007**</u>	NO SAMPLES COLLECTED DURING 2007 -NO FLOW																	
<u>2006**</u>	NO SAMPLES COLLECTED DURING 2006 -NO FLOW																	
<u>2005**</u>	NO SAMPLES COLLECTED DURING 2005 -NO FLOW																	
<u>2004**</u>	NO SAMPLES COLLECTED DURING 2004 -NO FLOW																	
<u>2003**</u>	NO SAMPLES COLLECTED DURING 2003 -NO FLOW																	
<u>2002**</u>	NO SAMPLES COLLECTED DURING 2002 -NO FLOW																	
<u>2001**</u>	NO SAMPLES COLLECTED DURING 2001 -NO FLOW																	
<u>2000**</u>	NO SAMPLES COLLECTED DURING 2000 -NO FLOW																	
<u>HISTORICAL 1979-2007</u>																		
MIN	0.1	104	30.0	1.0	3.0	190	112	0.01	0.05	6.30	0.01	0.5	7.20	1.60	1.85	20.0	0.5	115
MAX	39.0	320	57.0	1.0	26.4	750	320	20.60	3.31	46.20	0.30	9.0	8.70	7.64	20.44	161.7	7116.0	700
MEAN	5.5	238	42.6	1.0	10.8	557	238	1.38	0.47	31.96	0.06	1.8	8.09	3.21	13.20	63.7	370.2	338
No. of Analysis	11	10	10	9	12	43	10	47	9	9	42	12	47	10	10	14	47	47

* Quality parameters are reported as mg/l unless otherwise noted.

** Data: Database input restricted to values greater than laboratory minimum detection limit.