



April 18, 2019

Electronically Submitted

Utah Coal Program
Utah Division of Oil, Gas, and Mining
1594 West North Temple, Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

Subject: Amendment to Deer Creek Mine MRP, PacifiCorp, Deer Creek Mine C/015/0018, Emery County, Utah.

PacifiCorp, by and through its wholly-owned subsidiary, Interwest Mining Company, "Interwest", as mine operator, hereby submits an amendment to amend the Deer Creek Mine MRP, to reflect hydrologic monitoring transitioning from post mine closure to reclamation, Annual Report reference:

- Volume 9, Hydrologic Section Appendix A-2 (replace entire section)

PacifiCorp completed the demolition phase including Rilda Canyon 1st Right and Deer Creek during 2018. The final phase including complete land restoration of Rilda Canyon 1st Right and Deer Creek will be completed in 2019.

This submittal includes a revision to Volume 9 Hydrologic Section Appendix A-1, updating the Annual Report reference. The required C1/C2 forms are also included with this submittal.

If you have any questions concerning this submittal, please contact Dennis Oakley at 435-687-4825.

Sincerely,

A handwritten signature in blue ink that reads "Kenneth S. Fleck".

Kenneth Fleck
Geology and Environmental Affairs Manager

Cc: file

Encl. Volume 9 Hydrologic Section Appendix A-1
C1/C2 Forms

APPLICATION FOR COAL PERMIT PROCESSING

Permit Change New Permit Renewal Exploration Bond Release Transfer

Permittee: PacifiCorp

Mine: Deer Creek Mine

Permit Number: C/015/0018.

Title: Amendment to Deer Creek Mine MRP, PacifiCorp, Deer Creek Mine C/015/0018, Emery County, Utah.

Description, Include reason for application and timing required to implement:

Reflect hydrologic monitoring transitioning from post mine closure to reclamation, Annual Report Reference

Instructions: If you answer yes to any of the first eight (gray) questions, this application may require Public Notice publication.

- Yes No 1. Change in the size of the Permit Area? Acres: _____ increase decrease.
- Yes No 2. Is the application submitted as a result of a Division Order? DO# _____
- Yes No 3. Does the application include operations outside a previously identified Cumulative Hydrologic Impact Area?
- Yes No 4. Does the application include operations in hydrologic basins other than as currently approved?
- Yes No 5. Does the application result from cancellation, reduction or increase of insurance or reclamation bond?
- Yes No 6. Does the application require or include public notice publication?
- Yes No 7. Does the application require or include ownership, control, right-of-entry, or compliance information?
- Yes No 8. Is proposed activity within 100 feet of a public road or cemetery or 300 feet of an occupied dwelling?
- Yes No 9. Is the application submitted as a result of a Violation? NOV # _____
- Yes No 10. Is the application submitted as a result of other laws or regulations or policies?
Explain: _____
- Yes No 11. Does the application affect the surface landowner or change the post mining land use?
- Yes No 12. Does the application require or include underground design or mine sequence and timing? (Modification of R2P2)
- Yes No 13. Does the application require or include collection and reporting of any baseline information?
- Yes No 14. Could the application have any effect on wildlife or vegetation outside the current disturbed area?
- Yes No 15. Does the application require or include soil removal, storage or placement?
- Yes No 16. Does the application require or include vegetation monitoring, removal or revegetation activities?
- Yes No 17. Does the application require or include construction, modification, or removal of surface facilities?
- Yes No 18. Does the application require or include water monitoring, sediment or drainage control measures?
- Yes No 19. Does the application require or include certified designs, maps or calculation?
- Yes No 20. Does the application require or include subsidence control or monitoring?
- Yes No 21. Have reclamation costs for bonding been provided?
- Yes No 22. Does the application involve a perennial stream, a stream buffer zone or discharges to a stream?
- Yes No 23. Does the application affect permits issued by other agencies or permits issued to other entities?

Please attach four (4) review copies of the application. If the mine is on or adjacent to Forest Service land please submit five (5) copies, thank you. (These numbers include a copy for the Price Field Office)

I hereby certify that I am a responsible official of the applicant and that the information contained in this application is true and correct to the best of my information and belief in all respects with the laws of Utah in reference to commitments, undertakings, and obligations, herein.

Kenneth Fleck
Print Name

Kenneth S. Fleck
Sign Name, Position, Date

Manager of Environmental Affairs APRIL 18, 2019

Subscribed and sworn to before me this 18th day of April, 2019

Miranda Lofley
Notary Public

My commission Expires: Utah 03-26, 2022
Attest: State of Utah } } ss:
County of Emery



For Office Use Only:	Assigned Tracking Number:	Received by Oil, Gas & Mining

PACIFICORP
HYDROLOGIC MONITORING PROGRAM
DEER CREEK MINE

I. MONITORING LOCATIONS – DEER CREEK MINE

A. Surface Water Hydrology (for maps refer to Deer Creek and Wilberg/Cottonwood Mine: Volume 9 Map HM-1A, Deer Creek Volume 12 R645-301-700: Hydrologic Monitoring Map MFS1851D Mill Fork Lease for East Mountain locations listed below)

1. Huntington Creek Drainage System

a. ***Deer Creek*** (refer to Deer Creek and Wilberg/Cottonwood Mines: Volume 9 Map HM-1A)

(1) DCR01 - Above the mine:
(Approximately 600 feet upstream from the mine facility.) 200 feet North, 800 feet West of the Southeast corner of Section 10, Township 17 South, Range 7 East.

(2) DCR04 - Near C1/C2 Belt Intersection:
(Approximately 5,000 feet downstream from the mine facility.) 300 feet North, 2000 feet East of the Southeast corner of Section 2, Township 17 South, Range 7 East.

(3) DCR06 - @ Huntington Creek Confluence:
(Approximately 15,000 feet downstream from the facility) 1400 feet north, 1100 feet east of the southeast corner of Section 6, Township 16 South, Range 7 East.

b. ***Rilda Canyon*** (refer to Deer Creek and Wilberg/Cottonwood Mines: Volume 9 Map HM-1A)

(1) RCF-1 - Rilda Canyon - Right Fork:
(Approximately 4000 feet upstream from the Right and Left fork convergence.) 400 feet South, 200 feet West of the Northeast corner of Section 30, Township 16 South, Range 7 East.

(2) RCLF1 - Rilda Canyon - Left Fork, below Rilda Canyon Portals: (Approximately 200 feet upstream from the

PACIFICORP
HYDROLOGIC MONITORING PROGRAM
DEER CREEK MINE

Right and Left fork convergence.) 2400 feet North,
2100 feet West of the Southeast corner of Section 29,
Township 16 South, Range 7 East.

- (3) RCLF2 - Rilda Canyon - Left Fork, above Rilda Canyon Portals: (Approximately 1600 feet upstream from the Right and Left fork convergence.) 1600 feet North, 2300 feet West of the Southwest corner of Section 29, Township 16 South, Range 7 East.
- (4) RCF3 - Rilda Canyon - Below NEWUSSD springs: 2550 feet South, 1000 feet East of the Northeast corner of Section 28, Township 16 South, Range 7 East.
- (5) RCW4 - Rilda Canyon: (Approximately 1000 feet upstream from the confluence with Huntington Creek.) 850 feet North, 1900 feet West of the Southeast corner of Section 26, Township 16 South, Range 7 East.

- 3. **Reclamation Monitoring:** Following final reclamation, backfilling and grading, hydrologic monitoring will be conducted at points immediately above and below the reclaimed sites.

B. UPDES Monitoring Locations – Deer Creek Mine (refer to HM-1A)

- a. ***Deer Creek Mine***
UPDES UT0023604
 - 001- Sediment Pond – Deer Creek Canyon
 - 002- Mine Discharge – Deer Creek Canyon
 - 003- Mine Discharge – Huntington Creek

C. Post Mine Closure Monitoring Locations – Deer Creek Mine

- a. **Deer Creek Mine**
Rilda Canyon Pipeline – terminus of pipeline DCDRCP (refer to HM-1A)

PACIFICORP
HYDROLOGIC MONITORING PROGRAM
DEER CREEK MINE

b. **Deer Creek Mine**

Rilda Canyon Pipeline – integrity evaluation meters (refer to Volume 11, R645-301-500 Engineering Section, Appendix I, Design Drawings Deer Creek Mine Water Relief Pipeline 2016 Rilda Canyon for location of upper and lower vaults – meter locations)

1. DCDRCP – Meter 1: located near the Rilda Canyon Portals
2. DCDRCP – Meter 2: located near the Huntington Power Plant Raw Water Pond

II. MONITORING SCHEDULE – DEER CREEK MINE

(See enclosed monitoring schedules for operational, baseline, and reclamation monitoring)

A. Field Measurements

Field Measurements collected during quality sampling: Listed below are the sites which will be monitored by PacifiCorp in accordance with the guidelines established by DOGM; i.e.

- Date and Time
- Flow
- pH
- Temperature
- Conductivity
- Dissolved oxygen (perennial streams only)

Surface Monitoring

Surface monitoring locations will be field monitored quarterly for all field parameters.

1. Huntington Canyon Drainage

- a. Deer Creek
 - (1) DCR01
 - (2) DCR04
 - (3) DCR06

PACIFICORP
HYDROLOGIC MONITORING PROGRAM
DEER CREEK MINE

- b. Rilda Canyon
 - (1) RCF1
 - (2) RCLF 1
 - (3) RCLF 2
 - (4) RCF3
 - (5) RCW4

Groundwater Monitoring

- 1. Post Mine Closure – Deer Creek Mine Drainage
 - a. Rilda Canyon Pipeline – terminus of pipeline DCDRCP
 - b. Rilda Canyon Pipeline – integrity evaluation meters – flow only (refer to Volume 11, R645-301-500 Engineering Section, Appendix I, Design Drawings, Water Relief Pipeline 2016 Rilda Canyon for location of upper and lower vaults – meter locations)
 - 1. DCDRCP – Meter 1: located near the Rilda Canyon Portals
 - 2. DCDRCP – Meter 2: located near the Huntington Power Plant Raw Water Pond

UPDES Monitoring

- 1. Deer Creek

UPDES sites 001, 002 and 003 will be monitored as specified in the individual permits.

Reclamation Monitoring

Surface Water Resources: (see enclosed summary of operational, baseline, and reclamation monitoring schedules)

Surface monitoring locations will be field monitored monthly for flow and all field parameters quarterly until bond release.

Post Mine Closure:

Post Mine Closure monitoring locations will be field monitored monthly for flow including all field parameters until bond release.

UPDES: Sites will be monitored as specified in the individual permits.

PACIFICORP
HYDROLOGIC MONITORING PROGRAM
DEER CREEK MINE

B. Quality Sampling (Laboratory Measurements)

1. Surface Water Hydrology: Water samples will be collected and analyzed quarterly (one sample at low flow and high flow) during the first or second week of the quarter. Parameters analyzed are those listed in the DOGM Guidelines for Surface Water Quality (see Table 1-Surface Water Quality Parameter List). Quarterly sampling was initiated during March 1988 and will continue throughout the year; i.e., June, September, and December. Baseline analysis was performed in 2016 and will be repeated every five years there-after.

a. Huntington Creek Drainage

- (1) Deer Creek
 - (a) DCR01
 - (b) DCR04
 - (c) DCR06

- (2) Rilda Canyon
 - (a) RCF1
 - (b) RCLF 1
 - (c) RCLF 2
 - (b) RCF3
 - (c) RCW4

Reclamation Monitoring - Surface Water Hydrology: Water samples will be collected and analyzed quarterly (one sample at low flow and high flow) during the first or second week of the quarter. Parameters analyzed are those listed in the DOGM Guidelines for Surface Water Quality (see Table 1-Surface Water Quality Parameter List). Sampling will be conducted on a quarterly basis until bond release. Baseline analysis will be performed on the 5th and 9th years following reclamation. In no case will baseline sampling time frame exceed 5 years converting from operational to reclamation monitoring.

- a. Post Mine Closure Rilda Canyon Pipeline – terminus of pipeline DCDRCP: One water sample will be collected and analyzed per location monthly. Parameters analyzed are those listed in the DOGM Guidelines for Groundwater Water Quality (see Table 2-Ground Water Quality Parameter List). Baseline analysis was performed in 2016 and will be repeated every five years thereafter.

PACIFICORP
HYDROLOGIC MONITORING PROGRAM
DEER CREEK MINE

Reclamation Monitoring - Groundwater Hydrology:

- a. Post Reclamation Monitoring: PacifiCorp commits to conduct annual surveys to identify new discharge locations within and below sealed portals. If discharge occurs, one water sample will be collected and analyzed per location quarterly. Parameters analyzed are those listed in the DOGM Guidelines for Groundwater Water Quality (see Table 2-Ground Water Quality Parameter List). Baseline analysis will be performed on the 5th and 9th year.

3. UPDES Monitoring Sites

- a. Deer Creek Mine

UPDES sites will be monitored as specified in the individual permits.

III. ANNUAL REPORTS

All **hydrologic** data collected regarding **reclamation monitoring** the hydrology of East Mountain will be summarized by the applicant in an annual Hydrologic Monitoring Report. Copies of the report will be submitted to the Utah State Division of Oil, Gas and Mining. In addition, any raw data collected will be submitted to the Utah State Division of Oil, Gas and Mining on a quarterly basis.