

0014

**Utah
power**
& LIGHT COMPANY
MINING DIVISION
P.O. Box 310
Huntington, Utah 84528

Cover letter to Act 015

ACT 018
mine files

RECEIVED
AUG 15 1986

reports to respect
mine files.

DIVISION OF
OIL, GAS & MINING

cc J. Whitehead
cc Price Offc

August 11, 1986

Mr. Lowell Braxton
Division of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Regarding: Deer Creek and Cottonwood/Wilberg Mines
Engineering and Inspection Report
ACT/015/018 and ~~ACT/015/019~~

Dear Mr. Braxton:

Please find transmitted herewith the engineering reports for the
2nd Quarter 1986 Deer Creek and Cottonwood/Wilberg waste rock sites.

Should questions arise please contact me.

Sincerely,



Larry J. Guymon
Construction Manager

cc: Franklin Miller
Morgan Moon
Chris Shingleton

DEER CREEK

ACT/015/018

WASTE ROCK DISPOSAL SITE

ENGINEERING REPORT

2ND QUARTER 1986

INTRODUCTION:

This report is required by UMC 817.71 (i) and our mine plan.

The disposal area is an extension of the existing material storage, parking lot fill structure.


Material from the trommel screen, sediment and underground development waste are dumped at the site. As material accumulation dictates, compacted lifts of two feet maximum depth are made on the active fill surface. Any trash or extraneous materials is hand sorted at the time of compaction and placement.

OPERATION:

Active fill surface is at elevation 7407.79.

CERTIFICATION:

I do hereby certify that the Deer Creek waste rock site is being constructed according to sound engineering practice and regulations governing its construction and the approved M.R.P.



COTTONWOOD/WILBERG

ACT/015/019

WASTE ROCK DISPOSAL SITE

ENGINEERING REPORT

2ND QUARTER 1986

INTRODUCTION:

This report is required by UMC 817.71 (i) and our mine plan.

The disposal area is located on an approved 16 acre right-of-way from the B.L.M. located approximately two miles from the Cottonwood/Wilberg Mine site. This site serves both the Cottonwood/Wilberg and the Des-Bee-Dove Mines.


OPERATION:

During the Second Quarter, material from both mines was placed in cells 4 and 5 at the facility. Trash and extraneous material was removed by hand. Spreading and compacting of the material was completed twice during this quarter.

Also during the second quarter, the Wilberg sediment ponds were pumped to abate NOV N86-8-9-1. This material was placed in cell #6.

CERTIFICATION:

I do hereby certify that the Cottonwood/Wilberg waste rock site is being constructed according to sound engineering practice, the regulations governing its construction and the approved M.R.P.


LARRY J. GUYMON
P.E. 5214