

# PERMIT CHANGE TRACKING FORM

- Significant Permit Revision
- Permit Amendment
- Incidental Boundary Change

DATE RECEIVED <b>8-16-95</b>	By: <b>WJM</b>	PERMIT NUMBER	ACT/MS/95
Title of Proposal: <b>Alternate Sediment Control</b>		PERMIT CHANGE #	<b>95F</b>
Description: <b>Allow typical Alternate Sediment Control Measures drawing be added to the MRP</b>		PERMITTEE	<b>PACIFICORP</b>
		MINE NAME	<b>COTTONWOOD / WILBERG</b>

<input type="checkbox"/> 15 DAY INITIAL RESPONSE TO PERMIT CHANGE APPLICATION <input type="checkbox"/> Notice of Review Status of proposed permit change sent to the Permittee. <input type="checkbox"/> Responses Received. <input type="checkbox"/> Notice of Affidavit of Publication. (If change is a Significant Revision.)	DATE DUE	DATE DONE	RESULT
	<i>see below</i>		<input type="checkbox"/> ACCEPTED <input type="checkbox"/> REJECTED
	<b>NA</b>		COMMENTS
	<b>NA</b>		

REVIEW TRACKING	INITIAL REVIEW		MODIFIED REVIEW		FINAL REVIEW AND FINDINGS	
DOGM REVIEWER	DUE	DONE	DUE	DONE	DUE	DONE
<input checked="" type="checkbox"/> Lead <b>Malencik</b> ✓	<b>8/30/95</b>	<b>8/22/95</b>			<b>8/30/95</b>	<b>8/22/95</b>
<input type="checkbox"/> TA (See Attached)						
<input type="checkbox"/> Reviewers						
<input type="checkbox"/> Administrative (AVS)						
<input type="checkbox"/> Biology						
<input type="checkbox"/> Engineering						
<input type="checkbox"/> Geology						
<input type="checkbox"/> Soils						
<input type="checkbox"/> Hydrology						

COORDINATED REVIEWS	SENT	DUE	RECEIVED	SENT	DUE	DONE
<input type="checkbox"/> OSMRE						
<input type="checkbox"/> US Forest Service						
<input type="checkbox"/> Bureau of Land Management						
<input type="checkbox"/> US Fish and Wildlife Service						
<input type="checkbox"/> US National Parks Service						
<input type="checkbox"/> UT Environmental Quality						
<input type="checkbox"/> UT Water Resources						
<input type="checkbox"/> UT Water Rights						
<input type="checkbox"/> UT Wildlife Resources						
<input type="checkbox"/> UT State History (SHPO)						
<input type="checkbox"/> State Trust Lands						

INCORPORATED

EFFECTIVE:

AUG 22 1995

*ghk*

UTAH DIVISION OIL, GAS AND MINING  
PRICE FIELD OFFICE

<input type="checkbox"/> Public Notice / Comment / Hearing Complete. (If the permit change is a Significant Revision)	<b>NA</b>	<input checked="" type="checkbox"/> Permit Change Approval Form signed and approved effective as of this date. <input type="checkbox"/> Permit Change Denied.	<b>8/22/95</b>
<input type="checkbox"/> Copies of permit change marked and ready for MRP.	<b>yes</b>	<input type="checkbox"/> Notice of <input checked="" type="checkbox"/> Approval <input type="checkbox"/> Denial to Permittee.	
<input type="checkbox"/> Special Conditions/Stipulations written for approval.	<b>NA</b>	<input type="checkbox"/> Copy of Approved Permit Change to File.	<b>8/22/95</b>
<input type="checkbox"/> TA and CHIA modified as required.	<b>NA</b>	<input type="checkbox"/> Copy of Approved Permit Change to Permittee.	<b>8/22/95</b>
<input type="checkbox"/> Permit Change Approval Form ready for approval.	<b>8/22/95</b>	<input type="checkbox"/> Copies to Other Agencies and Price Field Office.	<b>8/22/95</b>

**VOLUME 6 (cont)**

**DUST COLLECTION**

- 3-19 Compressed Air System (R&S)**
- 3-20 Secondary Crushing Station (R&S)**
- 3-21 Secondary Crushing Station (R&S)**
- 3-22 Bottom Silo (R&S)**
- 3-23 Silo Feed Conveyor (R&S)**
- 3-24 Truck Loadout (R&S)**
- 3-25 Breaker Station (R&S)**
- 3-26 Breaker Station (R&S)**

**7704-PP1**

**7704-M6**

**7704-M7**

**7704-M8**

**7704-M9**

**7704-M10**


**7704-M11**

**7704-M12**

**HYDROLOGICAL PROTECTION**

- 3-27 Typical Alternative Sediment Control Measures**
- 3-38 Deleted**

**GENS1555A**



**VOLUME 6 (cont)**

**DUST COLLECTION**

3-19	Compressed Air System (R&S)	7704-PP1
3-20	Secondary Crushing Station (R&S)	7704-M6
3-21	Secondary Crushing Station (R&S)	7704-M7
3-22	Bottom Silo (R&S)	7704-M8
3-23	Silo Feed Conveyor (R&S)	7704-M9
3-24	Truck Loadout (R&S)	7704-M10
3-25	Breaker Station (R&S)	7704-M11
3-26	Breaker Station (R&S)	7704-M12

**HYDROLOGICAL PROTECTION**

3-27	Deleted
3-28	Deleted

*Superseded  
8/22/95  
02/10/95 1099-95K*

---

areas are treated by the best control technology available which includes, but is not limited to: silt fences, berms, catch basins, strawbales, gravel filter dikes, check dams, sediment traps and mulches.

A list of the ASCA's within the permit area is found in Table 5.1 (page 3-51.2).

DIVERSIONS (784.22)

Wilberg Mine operation will not require further diversion of any stream channel in the permit area until reclamation. Specific procedures for diversion during


*Superseded  
8/22/95  
98  
Amendment file  
for  
ACT/015/019-95F*

areas are treated by the best control technology available which includes, but is not limited to: silt fences, berms, catch basins, strawbales, gravel filter dikes, check dams, sediment traps and mulches.


A list of the ASCA's within the permit area is found in Table 5.1, page 3-51.2 (see Plate 3-27).

#### DIVERSIONS


Wilberg Mine operation will not require further diversion of any stream channel in the permit area until reclamation. Specific procedures for diversion during




**SILT FENCE**  
 (SEDIMENT CONTROL/RUNOFF CONTROL  
 WIDTH AND HEIGHT VARIES)  
 BOTTOM KEYED IN TO PREVENT BYPASS  
 SIDES KEYED IN WHEN NECESSARY




**SILT FENCE & MESH**  
 (SEDIMENT CONTROL/RUNOFF CONTROL  
 WIDTH AND HEIGHT VARIES)  
 BOTTOM KEYED IN TO PREVENT BYPASS  
 SIDES KEYED IN WHEN NECESSARY




**ROCK GABION**  
 (SEDIMENT CONTROL/ENERGY DISSIPATER  
 WIDTH AND HEIGHT VARIES)




**SILT FENCE WITH NOTCH**  
 (SEDIMENT CONTROL/RUNOFF CONTROL  
 WIDTH AND HEIGHT VARIES)  
 SIDES AND BOTTOM KEYED IN  
 TO PREVENT BYPASS




**SILT FENCE & MESH WITH NOTCH**  
 (SEDIMENT CONTROL/RUNOFF CONTROL  
 WIDTH AND HEIGHT VARIES)  
 SIDES AND BOTTOM KEYED IN  
 TO PREVENT BYPASS



**ROCK GABION**  
 (SEDIMENT CONTROL/ENERGY DISSIPATER  
 WIDTH AND HEIGHT VARIES)  
 WIRE MESH PLACED ON TOP  
 OF ROCK WHEN NECESSARY



**STRAW BALE INSTALLATION**  
 (SEDIMENT CONTROL/RUNOFF CONTROL  
 WIDTH AND HEIGHT VARIES)  
 SIDES AND BOTTOM KEYED IN  
 TO PREVENT BYPASS



**DIRT BERM**  
 (SEDIMENT CONTROL/RUNOFF CONTROL)

PLATE 3-27

CAD FILE NAME/DISK#: SILTFENC

**ENERGY WEST  
 MINING COMPANY**  
 HUNTINGTON, UTAH 84528

**TYPICAL ALTERNATIVE  
 SEDIMENT CONTROL MEASURES**

DRAWN BY:	K. LARSEN	GENS1555A	
SCALE:	NONE	DRAWING #:	
DATE:	AUGUST 4, 1995	SHEET	1 OF 1 REV.


**VOLUME 6 (cont)**

**DUST COLLECTION**

<b>3-19</b>	<b>Compressed Air System (R&amp;S)</b>	<b>7704-PP1</b>
<b>3-20</b>	<b>Secondary Crushing Station (R&amp;S)</b>	<b>7704-M6</b>
<b>3-21</b>	<b>Secondary Crushing Station (R&amp;S)</b>	<b>7704-M7</b>
<b>3-22</b>	<b>Bottom Silo (R&amp;S)</b>	<b>7704-M8</b>
<b>3-23</b>	<b>Silo Feed Conveyor (R&amp;S)</b>	<b>7704-M9</b>
<b>3-24</b>	<b>Truck Loadout (R&amp;S)</b>	<b>7704-M10</b>
<b>3-25</b>	<b>Breaker Station (R&amp;S)</b>	<b>7704-M11</b>
<b>3-26</b>	<b>Breaker Station (R&amp;S)</b>	<b>7704-M12</b>

**HYDROLOGICAL PROTECTION**

<b>3-27</b>	<b>Typical Alternative Sediment Control Measures</b>	<b>GENS1555A</b>
<b>3-38</b>	<b>Deleted</b>	




areas are treated by the best control technology available which includes, but is not limited to: silt fences, berms, catch basins, strawbales, gravel filter dikes, check dams, sediment traps and mulches.


A list of the ASCA's within the permit area is found in Table 5.1, page 3-51.2 (see Plate 3-27).

#### DIVERSIONS


Wilberg Mine operation will not require further diversion of any stream channel in the permit area until reclamation. Specific procedures for diversion during




**SILT FENCE**  
(SEDIMENT CONTROL/RUNOFF CONTROL  
WIDTH AND HEIGHT VARIES)  
BOTTOM KEYED IN TO PREVENT BYPASS  
SIDES KEYED IN WHEN NECESSARY




**SILT FENCE & MESH**  
(SEDIMENT CONTROL/RUNOFF CONTROL  
WIDTH AND HEIGHT VARIES)  
BOTTOM KEYED IN TO PREVENT BYPASS  
SIDES KEYED IN WHEN NECESSARY




**ROCK GABION**  
(SEDIMENT CONTROL/ENERGY DISSIPATER  
WIDTH AND HEIGHT VARIES)




**SILT FENCE WITH NOTCH**  
(SEDIMENT CONTROL/RUNOFF CONTROL  
WIDTH AND HEIGHT VARIES)  
SIDES AND BOTTOM KEYED IN  
TO PREVENT BYPASS




**SILT FENCE & MESH WITH NOTCH**  
(SEDIMENT CONTROL/RUNOFF CONTROL  
WIDTH AND HEIGHT VARIES)  
SIDES AND BOTTOM KEYED IN  
TO PREVENT BYPASS



**ROCK GABION**  
(SEDIMENT CONTROL/ENERGY DISSIPATER  
WIDTH AND HEIGHT VARIES)  
WIRE MESH PLACED ON TOP  
OF ROCK WHEN NECESSARY



**STRAW BALE INSTALLATION**  
(SEDIMENT CONTROL/RUNOFF CONTROL  
WIDTH AND HEIGHT VARIES)  
SIDES AND BOTTOM KEYED IN  
TO PREVENT BYPASS



**DIRT BERM**  
(SEDIMENT CONTROL/RUNOFF CONTROL)

CAD FILE NAME/DISK: SILTFENC

**ENERGY WEST  
MINING COMPANY**  
HUNTINGTON, UTAH 84528

**TYPICAL ALTERNATIVE  
SEDIMENT CONTROL MEASURES**

DESIGN BY:	K. LARSEN	DRAWING #:	GENS1555A
SCALE:	NONE	SHEET:	1 OF 1
DATE:	AUGUST 4, 1995	REV:	