

CO-OP MINING COMPANY

ANNUAL REPORT 2007



Bear Canyon Mine
C/015/025

RECEIVED
JUL 01 2008
DIV. OF OIL, GAS & MINING

File in:

- Confidential
- Shelf
- Expandable

Refer to Record No. 0025 Date 06/27/08
In C/015/025, 2008 Supplement
For additional information Confidential

Prepared by

**Co-Op Mining Company
P.O. Box 300
Huntington, Utah 84528
(435-687-2450**

Mark Reynolds

To enter text, click in the box and type your response. If a box already contains an entry select the entry and type the replacement. You can use the **tab** key to move from one field to the next. To select a check box, click in the box or type an x.

GENERAL INFORMATION

Permitte Name Co-Op Mining Company

Mine Name Bear Canyon Mine

Operator Name _____
(If other then Permittee)

Permit Expiration Date November 2, 2010

Permit Number C/015/0025

Authorized Representative Title Mark Reynolds, PE

Phone Number (435) 687-2450

Fax Number (435) 687-5724

E-mail Address CWMining@etv.net

Mailing Address P.O. Box 1245 Huntington, Utah 84527

Designated Representative _____

Resident Agent _____

Resident Agent Mailing Address Same as Above

Number of Binders Submitted _____

IDENTIFICATION OF OTHER PERMITS

Identify other permits that are required in conjunction with mining and reclamation activities.

Permit Type	ID Number	Description	Expiration Date
MSHA Mine ID(s)	42-02263	Bear Canyon #3 Mine	N/A
	42-02335	Bear Canyon #4 Mine	N/A
	42-02395	Bear Canyon Surface Facilities	N/A
MSHA Impoundment(s)		None	
NPDES/UPDES Permit(s)	UTG-04006	Minor Industrial	04-30-08
PSD Permit(s) (Air)	DAQE-145-02	Issued 02-22-02	N/A

Other

File in:

- Confidential
- Shelf
- Expandable

Refer to Record No 0025 Date 06/17/2008
 In C/015/0025, 2008, In Mining
 For additional information Confidential
06/17/2008

CERTIFIED REPORTS

List the certified inspection reports as required by the rules and under the approved plan that must be periodically submitted to the Division. Specify whether the information is included as Appendix A to this report or currently on file with the Division.

Certified Reports:	Required		Included or DOGM file location		Comments
	Yes	No	Included	Vol, Chapter, Page	
Excess Spoil Piles	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Refuse Piles	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
Impoundments	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>		Ponds A, B, C, and D
Other					
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		

COMMITMENTS AND CONDITIONS

The Permittee is responsible for ensuring annual technical commitments in the MRP and conditions accepted with the permit are completed throughout the year. The Division has identified these commitments below and has provided space for you to report what you have done during the past year for each commitment. If the particular section is blank, no commitment has been identified and no response is required for this report. If a written response is required, it should be filed under Appendix B to this report.

Admin R645-301-100	
Soils R645-301-200	
Biology R645-301-300	
Has this commitment been acted on this year? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required for this year. <input type="checkbox"/>	Biology: CULTURAL RESOURCES Title: Identification of new cultural resource. Objective: If during the course of mining operations, previously unidentified cultural resources are discovered, the Permittee shall ensure that the site(s) is not disturbed and shall notify the Division of Oil, Gas, and Mining. The Division, after coordination with OSM, shall inform the Permittee of necessary actions required Frequency: The Permittee shall implement the mitigation measures required by the Division within the time frame specified by the Division. Status: Ongoing. Reports: Annual.

<p>Has this commitment been acted on this year?</p> <p>Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input type="checkbox"/></p>	<p>Title: WILDLIFE AWARENESS PROGRAM Objective: The applicant will inform employees of the vulnerability of local wildlife and will train personnel to avoid all harassment or unnecessary activity near wildlife. In addition a film will be offered by the UDWR "Coal mining and Wildlife" will be shown annually to all employees. Frequency: As needed, new employee orientation. Status: Ongoing. Reports: Annual Report. Citation: Chapter three, page 3-45, paragraph 2.</p>
<p>Has this commitment been acted on this year?</p> <p>Yes <input checked="" type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input type="checkbox"/></p>	<p>Title: RAPTOR MITIGATION PLAN Objective: C. W. Mining will develop a raptor mitigation by July 1, 2007 for all areas where nests may potentially be impacted. Based on preliminary meetings the plan will be as follows. By July 1, 2007 site specific evaluations will be done by qualified personnel and several mitigation methods will be developed for each site based on various timing and mining scenarios. One year prior to undermining a specific nest an application for a take permit will be submitted outlining the various mitigation methods that have been previously determined. Three months prior to undermining the nest, at which time the exact timing and methods will be know, the specific mitigation that correlates to the timing and method will be selected and implemented. All regulating and concerned agency will be involved at each step. Frequency: Implementation ongoing. Status: Check on completion. Reports: Annual. Citation: Chapter three, page 3-68, paragraph 2.</p>
<p>Has this commitment been acted on this year?</p> <p>Yes <input type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input checked="" type="checkbox"/></p>	<p>Title: VEGETATION MONITORING PROCEDURES Objective: Qualitative observations of revegetated areas will be made yearly throughout the ten year liability period (See R645-301-250). Frequency: Quantitative measurements of reclamation will be collected during years 2, 3, 5, 9 and 10 of the same bond liability period. Any areas not achieving success will be evaluated and revegetated as needed. Status: At reclamation. Reports: During reclamation. Citation:Chapter three, page 3-41, paragraph 1.</p>
<p>Has this commitment been acted on this year?</p> <p>Yes <input type="checkbox"/> No <input type="checkbox"/></p> <p>Not Required for this year. <input checked="" type="checkbox"/></p>	<p>Title: DETAILED REVEGETATION PLAN Objective: The operator will submit a detailed revegetation plan in the last Five-Year Permit renewal prior to reclamation. The plan will include detailed map(s) of sufficient scale to show exact areas and methods of revegetation (i.e., drill seeding, terraces, netting, etc..) based on the best available technology and final mine site conditions. Frequency: Last Five-Year Permit renewal prior to reclamation, the operator will notify the division two weeks prior to all seeding work (interim or permanent), to allow the Division to be on site when the work is done. Status: Check annually to determine if this commitment needs to be implemented. Reports: Five years prior to reclamation. Citation. Chapter three, page 3-46, paragraph 2.</p>

Engineering R645-301-500	
Has this commitment been acted on this year? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required for this year. <input type="checkbox"/>	Title: SUBSIDENCE MONITORING Objective: Determine subsidence effects. Frequency: Annually. Status: On going. Reports: Submit surveyed monitoring data to Division by June 30, annually. Citation: MRP.
Geology R645-301-600	
Hydrology R645-301-700	
Bonding & Insurance R645-301-800	
Other Commitments	

*Reminder: If equipment has been abandoned during 2007, an amendment must be submitted that includes a map showing its location, a description of what was abandoned, whether there were any hazardous or toxic materials and any revision to the PHC as necessary.

REPORTING OF OTHER TECHNICAL DATA

List other technical data and information as required under the approved plan, which must be periodically submitted to the Division. Specify whether the information is included as Appendix B to this report or currently on file with the Division.

APPENDIX A

Certified Reports

Excess Spoil Piles
Refuse Piles
Impoundments

As required under R645-301-514

CONTENTS

Sediment Pond Inspections

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT		002A	Page 1 of 2
Permit Number	ACT\015\025	Report Date	12/15/07
Mine Name	Bear Canyon Mine		
Company Name	C.W. Mining Company		
Impoundment Identification	Impoundment Name	Sediment Pond "A"	
	Impoundment Number	002A	
	UPDES Permit Number	UTG040006	
	MSHA ID Number	N\A	

IMPOUNDMENT INSPECTION

Inspection Date	12/15/07
Inspected By	Mark Reynolds
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Annual, Quarterly.

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.

The pond's dam appeared sound with no signs of structural weakness, erosion or any other hazards.

Required for an impoundment which functions as a SEDIMENTATION POND.	2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment.
	Sediment storage capacity = 31,357 ft ³ 60% cleanout elevation = 7,086 100% sediment storage elevation = 7,087.9 Existing sediment elevation = 7,082.5
	3. Principle and emergency spillway elevations. Principle spillway elevation = 7,088 Emergency spillway elevation = 7,094.5

4. Field Information. Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on outslopes of embankments, etc.

The pond is snow covered. The outslopes are well vegetated, with no signs of instability.

5. Field Evaluation. Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.

The existing sediment volume is 15,197 ft³. The existing runoff storage capacity is 97,603 ft³ which is greater than the 64,951 ft³ required in the MRP.

Qualification Statement	I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.
	Signature: <u>Mark Reynolds</u> Date: <u>12-15-07</u>

CERTIFIED REPORT

IMPOUNDMENT EVALUATION (If NO, explain under Comments)	YES	NO
1. Is impoundment designed and constructed in accordance with the approved plan?	X	

IMPOUNDMENT INSPECTION AND CERTIFIED REPORT		006A	Page 1 of 2
Permit Number	ACT\015\025	Report Date	12/15/07
Mine Name	Bear Canyon Mine		
Company Name	C.W. Mining Company		
Impoundment Identification	Impoundment Name	Sediment Pond "C"	
	Impoundment Number	006A	
	UPDES Permit Number	UTG040006	
	MSHA ID Number	N\A	

IMPOUNDMENT INSPECTION

Inspection Date	12/15/07
Inspected By	Mark

Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Annual/Quarterly
---	------------------

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.
The pond's dam show no signs of structural weakness, erosion or any other hazards.

Required for an impoundment which functions as a SEDIMENTATION POND.	2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment. Sediment storage capacity = 3,948 ft ³ 60% cleanout elevation = 7,030.3 100% sediment storage elevation = 7,031.4 Existing sediment elevation = 7,029 (average)
--	---

3. Principle and emergency spillway elevations.	Principle spillway elevation = 7,032.3 Emergency spillway elevation = 7,035.3
---	--

4. Field Information. Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on outslopes of embankments, etc.
The pond contains 12" of snow. Embankment slopes appear stable and are well vegetated.

5. Field Evaluation. Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.
The existing sediment volume is approximately 1,334 ft³. The existing storage capacity is 14,371 ft³ which is greater than the 7,881 ft³ required in the MRP.

Qualification Statement	I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability. Signature: <u>Mark Reynolds</u> Date: <u>12-15-07</u>
-------------------------	---

CERTIFIED REPORT

IMPOUNDMENT EVALUATION (If NO, explain under Comments)	YES	NO
1. Is impoundment designed and constructed in accordance with the approved plan?	X	
2. Is impoundment free of instability, structural weakness, or any other hazardous condition?	X	
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection?	X	

COMMENTS AND OTHER INFORMATION

Certification Statement:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

[PE Cert. Stamp]

By: Mark Reynolds Environmental Coordinator
 (Full Name and Title)

Signature: Mark Reynolds Date: 12-15-07

P.E. Number & State: 5049079-2202



Permit Number	ACT\015\025	Report Date	12/15/07
---------------	-------------	-------------	----------

Mine Name	Bear Canyon Mine		
-----------	------------------	--	--

Company Name	C.W. Mining Company		
--------------	---------------------	--	--

Impoundment Identification	Impoundment Name	Sediment Pond "D"	
	Impoundment Number	007A	
	UPDES Permit Number	UTG040006	
	MSHA ID Number	N\A	

IMPOUNDMENT INSPECTION

Inspection Date	12/15/07		
-----------------	----------	--	--

Inspected By	Mark		
--------------	------	--	--

Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Quarterly/Annual/Following Clean Out		
---	--------------------------------------	--	--

1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.
The completed slopes show no signs of structural weakness, erosion or any other hazards.

Required for an impoundment which functions as a SEDIMENTATION POND.	<p>2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment.</p> <p>Sediment storage capacity = 1,271 ft³ 60% cleanout elevation = 7,637.6 100% sediment storage elevation = 7,638.5 Existing sediment elevation = 7,635</p> <p>3. Principle and emergency spillway elevations.</p> <p>Principle spillway elevation = 7,641.4 Emergency spillway elevation = 7,636</p>		
--	--	--	--

4. Field Information. Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on out slopes of embankments, etc.
The pond is covered in snow

5. Field Evaluation. Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.
The existing sediment volume is approximately 121 ft³. The existing storage capacity is 7,285 ft³ which is greater than the 5,565 ft³ required in the MRP.

Qualification Statement	<p>I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.</p> <p>Signature: <u><i>Mark Reynolds</i></u> Date: <u>12-15-07</u></p>		
--------------------------------	---	--	--

CERTIFIED REPORT

IMPOUNDMENT EVALUATION (If NO, explain under Comments)	YES	NO
1. Is impoundment designed and constructed in accordance with the approved plan?	X	
2. Is impoundment free of instability, structural weakness, or any other hazardous condition?	X	
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection?	X	

COMMENTS AND OTHER INFORMATION

Embankments are stable and well vegetated.

Certification Statement:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

[PE Cert. Stamp]

By: Mark Reynolds Environmental Coordinator
 (Full Name and Title)

Signature: Mark Reynolds Date: 12-15-07

P.E. Number & State: 5049079-2202



1 IMPOUNDMENT INSPECTION AND CERTIFIED REPORT		003A	Page 1 of 2
Permit Number	ACT\015\025	Report Date	6/10/07
Mine Name	Bear Canyon Mine		
Company Name	C.W. Mining Company		
Impoundment Identification	Impoundment Name	Sediment Pond "B"	
	Impoundment Number	003A	
	UPDES Permit Number	UTG040006	
	MSHA ID Number	N/A	
IMPOUNDMENT INSPECTION			
Inspection Date	6/10/07		
Inspected By	Mark Reynolds		
Reason for Inspection (Annual, Quarterly or Other Periodic Inspection, Critical Installation, or Completion of Construction)	Annual/Quarterly/Following Cleanout.		
1. Describe any appearance of any instability, structural weakness, or any other hazardous condition.			
The pond's dam appeared sound with no signs of structural instability or hazardous conditions.			
Required for an impoundment which functions as a SEDIMENTATION POND.	2. Sediment storage capacity, including elevation of 60% and 100% sediment storage volumes, and, estimated average elevation of existing sediment.		
	Sediment storage capacity = 3,670 ft ³ 60% cleanout elevation = 7,062.9 100% sediment storage elevation = 7,063.4 Existing sediment elevation = 7,062 - <i>Pond Bottom</i>		
	3. Principle and emergency spillway elevations.		
	Principle spillway elevation = 7,064.9 Emergency spillway elevation = 7,066.9		
4. Field Information. Provide current water elevation, whether pond is discharging, type and number of samples taken, monitoring/instrumentation information, inlet/outlet conditions, or other related activities associated with the pond including but not limited to sediment cleanout, pond decanting, embankment erosion/repairs, monitoring information, vegetation on out slopes of embankments, etc.			
<p><i>MR</i></p> <p>The pond contains 4" of water <i>on 6th the south embankment was excavated to repair a pipe. The impoundment was structurally</i></p>			
5. Field Evaluation. Describe any changes in the geometry of the impounding structure, average and maximum depths and elevations of impounded water, estimated sediment or slurry volume and remaining storage capacity, estimated volume of water impounded, and any other aspect of the impounding structure affecting its stability or function which has occurred during the reporting period.			
The pond was just cleaned. The existing runoff storage capacity is approximately 18,000 ft ³ which is greater than the 9,095 ft ³ required in the permit.			

Other work was done

Qualification Statement

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized under the direction of a Registered Professional Engineer to inspect the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability.

Signature: _____ Date: _____

CERTIFIED REPORT

IMPOUNDMENT EVALUATION (If NO, explain under Comments)	YES	NO
1. Is impoundment designed and constructed in accordance with the approved plan?	X	
2. Is impoundment free of instability, structural weakness, or any other hazardous condition?	X	
3. Has the impoundment met all applicable performance standards and effluent limitations from the previous date of inspection?	X	

COMMENTS AND OTHER INFORMATION

The pond is currently in the process of being cleaned with a minimal amount of sediment having entered the pond since the previous inspection.

ertification Statement:

I hereby certify that; I am experienced in the construction of impoundments; I am qualified and authorized in the State of Utah to inspect and certify the condition and appearance of impoundments in accordance with the certified and approved designs for this structure; that the impoundment has been maintained in accordance with approved design and meet or exceed the minimum design requirements under all applicable federal, state and local regulations; and, that inspections and inspection reports are made by myself or under my direction and include any appearances of instability, structural weakness or other hazardous conditions of the structure affecting stability in accordance with the Utah R645 Coal Mining Rules.

[PE Cert. Stamp]

By: Mark Reynolds Environmental Coordinator
 (Full Name and Title)
 Signature: [Handwritten Signature] Date: 6-10-17
 P.E. Number & State: _____



APPENDIX B

Reporting of Technical Data

Including monitoring data, reports, maps, and other information
As required under the approved plan or as required by the Division

In accordance with the requirement of R645-310-130 and R645-301-140

CONTENTS

Climatological Data
Subsidence Monitoring Data and Maps
Raptor Survey

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

January

2007

DATE	READING	WEATHER CONDITIONS
1	0	Sunny
2	0	Sunny
3	0	Sunny
4	0.02	Sunny
5	0	Sunny
6	0	Sunny
7	0	Sunny
8	0	Sunny
9	0	Sunny
10	0	Sunny
11	0	Sunny
12	0	Snowy
13	0	Snowy
14	0	Snowy
15	0	Sunny
16	0.02	Sunny
17	0	Sunny
18	0	Sunny
19	0	Sunny
20	0	Light Snow
21	0.03	Sunny
22	0	Sunny
23	0	Sunny
24	0	Sunny
25	0	Sunny
26	0	Sunny
27	0	Sunny
28	0	Sunny
29	0	Sunny
30	0	Sunny
31	0	Sunny

0.07

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

February

2007

DATE	READING	WEATHER CONDITIONS
1	0	Sunny
2	0	Sunny
3	0	Sunny
4	0	Sunny
5	0	Sunny
6	0	Sunny
7	0	Sunny
8	0	Sunny
9	0	Sunny
10	0	Sunny
11	0.12	Rain
12	0	Sunny
13	0	Sunny
14	0	Sunny
15	0	Sunny
16	0	Sunny
17	0	Sunny
18	0	Sunny
19	0	Light Rain/Snow
20	0	Sunny
21	0	Sunny
22	0	Sunny
23	0	Sunny
24	0	Sunny
25	0	Late Snow
26	0.08	Early Snow
27	0.02	Snow
28	0	Sunny

0.22

CW MINING COMPANY
 RAIN GAUGE LOG
 BEAR CANYON MINE

March

2007

DATE	READING	WEATHER CONDITIONS
1	0	Sunny
2	0	Sunny
3	0	Sunny
4	0	Sunny
5	0	Sunny
6	0	Sunny
7	0	Sunny
8	0	Sunny
9	0	Sunny
10	0	Sunny
11	0	Sunny
12	0	Sunny
13	0	Sunny
14	0	Sunny
15	0	Sunny
16	0	Sunny
17	0	Sunny
18	0	Sunny
19	0	Sunny
20	0	Sunny
21	0.12	Rainy
22	0.01	Sunny
23	0	Partly Cloudy
24	0	Partly Cloudy
25	0	Partly Cloudy
26	0	Partly Cloudy
27	0.26	Rain/Snow
28	0.26	Rain/ Snow
29	0	Sunny
30	0.05	Partly Cloudy
31	0	Sunny

0.7

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

April

2007

DATE	READING	WEATHER CONDITIONS
1	0	Sunny
2	0	Sunny
3	0	Sunny
4	0	Sunny
5	0	Sunny
6	0	Sunny
7	0	Sunny
8	0.15	Rainy
9	0	Sunny
10	0.07	Rain/Snow
11	0	Sunny
12	0.06	Rain/Snow
13	0	Sunny
14	0	Sunny
15	0	Sunny
16	0.2	Rain
17	0.11	Rain
18	0	Rain/Snow
19	0	Sunny
20	0	Sunny
21	0	Sunny
22	0.15	Rain
23	0.48	Rain/Snow
24	0	Sunny
25	0	Sunny
26	0	Sunny
27	0	Sunny
28	0	Sunny
29	0	Sunny
30	0	Sunny

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

May

2007

DATE	READING	WEATHER CONDITIONS
1	0	Sunny
2	0.01	Late Rain
3	0	Sunny
4	0.04	Lite Rain
5	0.03	Lite Rain
6	0	Pt. Cloudy
7	0	Sunny
8	0	Sunny
9	0	Sunny
10	0	Sunny
11	0	Sunny
12	0	Sunny
13	0	Sunny
14	0	Sunny
15	0	Sunny
16	0	Sunny
17	0	Sunny
18	0	Sunny
19	0	Sunny
20	0.06	Late Rain
21	0	Pt. Cloudy
22	0.03	Late Rain
23	0	Sunny
24	0	Sunny
25	0	Sunny
26	0	Sunny
27	0	Sunny
28	0	Sunny
29	0	Sunny
30	0	Sunny
31	0	Sunny

0.17

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

June

2007

DATE	READING	WEATHER CONDITIONS
1	0	Sunny
2	0	Sunny
3	0	Sunny
4	0	Sunny
5	0.03	Late Lite Rain
6	0.04	Lite Rain
7	0	Sunny
8	0	Sunny
9	0	Sunny
10	0	Sunny
11	0	Sunny
12	0	Sunny
13	0	Sunny
14	0	Sunny
15	0	Sunny
16	0	Sunny
17	0	Sunny
18	0	Sunny
19	0	Sunny
20	0	Sunny
21	0	Sunny
22	0	Sunny
23	0	Sunny
24	0	Sunny
25	0	Sunny
26	0	Sunny
27	0	Sunny
28	0	Sunny
29	0	Sunny
30	0	Sunny

0.07

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

July

2007

DATE	READING	WEATHER CONDITIONS
1	0	Sunny
2	0	Sunny
3	0	Sunny
4	0	Sunny
5	0	Sunny
6	0	Sunny
7	0	Sunny
8	0	Sunny
9	0	Sunny
10	0	Sunny
11	0	Sunny
12	0.08	Lite rain
13	0	Sunny
14	0	Pt. Cloudy
15	0.02	Lite rain
16	0	Sunny
17	0	Sunny
18	0.02	Lite rain
19	0.01	Sunny
20	0	Sunny
21	0	Sunny
22	0.01	Pt. Cloudy
23	0	Sunny
24	0	Sunny
25	0	Cloudy
26	0.04	Lite rain
27	0	Sunny
28	0	Sunny
29	0	Pt. Cloudy
30	0	Sunny
31	0	Sunny

0.18

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

August

2007

DATE	READING	WEATHER CONDITIONS
1	0.04	Pt. Cloudy
2	0	Rain
3	0	sunny
4	0	Rain
5	0	Rain
6	0	Rain
7	0	sunny
8	0	sunny
9	0	sunny
10	0	sunny
11	0	sunny
12	0	pt. cloudy
13	0	pt. cloudy
14	0.17	Rain
15	0	sunny
16	0	sunny
17	0.19	Rain
18	0.21	Rain
19	0	sunny
20	0	sunny
21	0	sunny
22	0	sunny
23	0	sunny
24	0	Rain
25	0	sunny
26	0.1	Rain
27	0.1	Rain
28	0.11	Rain
29	0	sunny
30	0	sunny
31	0.12	Rain

1.04

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

September

2007

DATE	READING	WEATHER CONDITIONS
1	0.43	Rain
2	0.07	Rain
3	0.28	Rain
4	0.44	Rain
5	0	Pt. Cloudy
6	0	Sunny
7	0	Sunny
8	0.2	Pt. Cloudy
9	0	Sunny
10	0	Pt. Cloudy
11	0	Sunny
12	0	Sunny
13	0	Sunny
14	0	Pt. Cloudy
15	0	Sunny
16	0	Rain
17	0	Pt. Cloudy
18	0	Sunny
19	0	Sunny
20	0	Sunny
21	0.2	Rain
22	0.1	Rain
23	0.03	Rain
24	0	Pt. Cloudy
25	0	Sunny
26	0	Sunny
27	0	Sunny
28	0	Sunny
29	0	Sunny
30	0	Sunny

CW MINING COMPANY
 RAIN GAUGE LOG
 BEAR CANYON MINE

October

2007

DATE	READING	WEATHER CONDITIONS
1	0.06	Rainy
2	0	Sunny
3	0	Sunny
4	0.14	Rainy
5	0.22	Rainy
6	0.04	Rainy
7	0	Sunny
8	0	Sunny
9	0	Sunny
10	0	Sunny
11	0	Sunny
12	0	Sunny
13	0.02	Rainy
14	0	Sunny
15	0	Sunny
16	0	Rainy
17	0.28	Snow
18	0	Sunny
19	0	Sunny
20	0	Snow
21	0.1	Sunny
22	0	Sunny
23	0	Sunny
24	0	Sunny
25	0	Sunny
26	0	Sunny
27	0	Sunny
28	0	Sunny
29	0	Sunny
30	0	Lite rain
31	0	Sunny

0.86

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

November

2007

DATE	READING	WEATHER CONDITIONS
1	0	Sunny
2	0	Sunny
3	0	Sunny
4	0	Sunny
5	0	Sunny
6	0	Sunny
7	0	Sunny
8	0	Sunny
9	0	Sunny
10	0	Sunny
11	0	Late Lite Rain
12	0	Sunny
13	0	Sunny
14	0.02	Sunny
15	0	Sunny
16	0	Sunny
17	0	Sunny
18	0	Sunny
19	0	Sunny
20	0	Late lite snow
21	0	Sunny
22	0	Sunny
23	0	Sunny
24	0	Sunny
25	0	Sunny
26	0	Sunny
27	0	Late Snow
28	0.02	Sunny
29	0.12	Late Snow
30	0.17	Snow

0.33

CW MINING COMPANY
RAIN GAUGE LOG
BEAR CANYON MINE

December

2007

DATE	READING	WEATHER CONDITIONS
1	0	Sunny
2	0	Sunny
3	0	Sunny
4	0	Sunny
5	0	Sunny
6	0	Late heavy Snow
7	0	Snow
8	0.09	Sunny
9	0	Sunny
10	0	Sunny
11	0	Sunny
12	0	Sunny
13	0	Sunny
14	0	Sunny
15	0	Sunny
16	0	Sunny
17	0.01	Sunny
18	0	Sunny
19	0	Sunny
20	0.01	Late heavy Snow
21	0.01	Snow
22	0	Sunny
23	0	Sunny
24	0	Sunny
25	0	Sunny
26	0	Sunny
27	0	Sunny
28	0	Sunny
29	0	Sunny
30	0	Sunny
31	0	Sunny

0.12

APPENDIX C

Legal Financial, Compliance and Related Information

Annual Report of Officers
As submitted to the Utah Department of Commerce

Other change in ownership and control information
As required under R645-301-110

CONTENTS

Annual Reports of officers

<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
-------------------------------------	-------------------------------------	-------------------------------------

"The following renewals will be updated in our system within seven days"

Please print the following receipt for your records

Summary For:

Business Name: C. W. MINING COMPANY


Entity Number: 836133-0142

Business Renewed

Business Entity Information

Entity Number: 836133-0142	Renewal Fee: \$12.00
----------------------------	----------------------

Signature: C. R. REYNOLDS	Total Fee: \$12.00
	Paid:



Changes in Principal Information:

New Information (added or updated)

Name: C. R. REYNOLDS

Position: Director

Address: 371 Bear Canyon Rd.
Huntington, UT 84528

Old Information (removed or updated)

Name: B.W. STODDARD

Position: Director

Address: PO BOX 300
HUNTINGTON, UT 84528

[Printer Friendly Form](#) [Back Home](#)

[Department of Commerce Home](#) | [Division of Corporations Home](#) | [Contact Us](#) | [Feedback](#)

APPENDIX D

Mine Maps

As required under R645-302-525-270

CONTENTS

Plate 5-1A

Plate 5-1B

Plate 5-1C

APPENDIX E

Other Information

In accordance with the requirements of R645-301 and R645-302

CONTENTS