

WATER QUALITY MEMORANDUM

Utah Coal Regulatory Program

December 17, 2013

TO: Internal File

THRU: Steve Christensen, Permit Supervisor



FROM: Amanda Daniels, Environmental Scientist



RE: 2013 Second Quarter Water Monitoring, Canyon Fuel Company, LLC,
SUFCO Mine, C/041/0002, WQ13-2, Task ID #4357

The SUFCO Mine is an operating longwall mine. Current operations are in the Quitchupah and Muddy Tracts. Water monitoring requirements can be found in Section 7.3.1.2 of the MRP, see Tables 7-2, 7-3, 7-4, 7-5, and 7-5A. Page 7-48 contains the important statement that (non Box-Canyon, non-UPDES) “monitoring sites are sampled three times per year,” meaning the second, third, and fourth quarters.

SUFCO has added additional stream monitoring points to their plan: SUFCO 006A, 006B, 006C, and 006D are intended to monitor the upstream and downstream flow along the South Fork of Quitchupah Creek. Additional spring sample locations were approved for the South Fork reach of Quitchupah located in the headwaters area and further downstream. These springs include: Spring 006A, Roberts Spring, RS-A, RS-B, Wedge Spring, Amanda Spring, 94-113 Seep.

1. Was data submitted for all of the MRP required sites?

Springs

YES

NO

The MRP requires the Permittee to monitor 29 springs during the second, third, and fourth quarter as per Table 7-2. Some require full laboratory analysis according to Table 7-4, while others simply require field measurements.

All spring monitoring locations were sampled and reported as required in the MRP.

Streams

YES

NO

The MRP requires the Permittee to monitor 20 streams during the second, third and fourth quarter as per Table 7-2. Perennial stream monitoring of Box Canyon is required at FP-1 and FP-2 at the beginning of the month of October each year.

All stream monitoring locations were sampled and reported as required in the MRP.

Wells YES NO

The MRP requires the Permittee to monitor water levels for 7 wells. Monitoring wells US-80-2, 89-20-2W, US-81-3, US-81-4 and 01-8-1 are monitored quarterly. Monitoring wells US-80-4 and US-79-13 are monitored annually during the 3rd quarter. Groundwater monitoring at the Waste Rock site occurs three times per year.

All required wells were sampled and reported as required in the MRP.

UPDES

The UPDES Permit/MRP require bi-weekly monitoring of 3 outfalls: UT0022918-001: mine water discharge to Spring Canyon; UT0022918-002: sedimentation pond discharge to Spring Canyon; and UT0022918-003A: the mine water discharge to the North Fork of Quitchupah Creek.

The Permittee submitted all required samples for the UPDES sites.

2. **Were all required parameters reported for each site?** YES NO
3. **Were any irregularities found in the data?** YES NO

The following sites reported monitoring parameters more than 2 standard deviations from the mean:

Springs

M-SP01 – Temp.
M-SP08 – Temp.
Mud Spring – Temp.
Pines 100 – TDS, SO4
Pines 214 – Conductivity

Streams

41 – Total iron
46 – Bcrb, Dissolved potassium
47 – Flow, Bcrb
006C – Temp.
Pines 403 – T-Cats, T-Anis, Dissolved magnesium, TDS, Conductivity, Dissolved potassium, SO4.

Wells

WRDS-B3 – Chloride
WRDS-B6 - Bcrb

4. On what date does the MRP require a five-year re-sampling of baseline water data.

There is no commitment in the MRP to resample for baseline parameters.

5. Based on your review, what further actions, if any, do you recommend?

No recommendations are warranted at this time.